


Self Stick Access Door



Access doors are used in duct systems for many reasons. Entry is often required to facilitate duct cleaning, examine equipment, or to test, repair, or troubleshoot system components.

Duro Dyne HSAD & CSAD access doors provide an easy four step solution. Size and cut a hole in the duct wall. Peel the release paper from the foam gasketed access door frame. Press the frame into position. Insert one screw into each of the four pre-punched holes in the frame.



HSAD

CSAD

FEATURES:

- 24 gage galvanized steel construction
- Saves time and is easy to position - No frame "dove tails" to align and bend
- 10 stock sizes from 6x6 through 24x24
- One inch wide gasketed frame for fastening and sealing integrity
- Doors insulated with one inch thick fiberglass
- All doors are supplied with self drilling screws

Hinged		Cam Only*		Description	Quantity Per Box
Item#	Code	Item#	Code		
7310	HSAD 6x6	7320	CSAD 6x6	Self Stick Access Door 6" x 6"	10
7311	HSAD 8x8	7321	CSAD 8x8	Self Stick Access Door 8" x 8"	10
7312	HSAD 10x10	7322	CSAD 10x10	Self Stick Access Door 10" x 10"	10
7313	HSAD 12x12	7323	CSAD 12x12	Self Stick Access Door 12" x 12"	10
7314	HSAD 14x14	7324	CSAD 14x14	Self Stick Access Door 14" x 14"	10
7315	HSAD 16x16	7325	CSAD 16x16	Self Stick Access Door 16" x 16"	5
7316	HSAD 18x12	7326	CSAD 18x12	Self Stick Access Door 18" x 12"	5
7317	HSAD 18x18	7327	CSAD 18x18	Self Stick Access Door 18" x 18"	5
7318	HSAD 20x20	7328	CSAD 20x20	Self Stick Access Door 20" x 20"	5
7319	HSAD 24x24	7329	CSAD 24x24	Self Stick Access Door 24" x 24"	5

* Cam Only doors are supplied with a safety chain.

Available in stainless steel and aluminum. Call for pricing.

Duro Dyne East Division, Bay Shore, NY 631-249-9000 Fax: 631-249-8346
 Duro Dyne Midwest Division, Fairfield, OH 513-870-6000 Fax: 513-870-6005
 Duro Dyne West Division, Santa Fe Springs, CA 562-926-1774 Fax: 562-926-5778
 Duro Dyne Canada, Lachine, Quebec, Canada 514-422-9760 Fax: 514-636-0328
 www.durodyne.com E-mail: durodyne@durodyne.com

